

Hand Hygiene and Respiratory Etiquette

- Before you leave, <u>wash your hands</u> with soap and water for at least 20 seconds or use hand sanitizer with at least 60% alcohol.
- Once you reach your destination, <u>wash your hands again</u> or use hand sanitizer as soon as possible.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Cover your coughs and sneezes with a tissue or use the inside of your elbow.
 Throw used tissues in the trash and wash your hands immediately with soap and water for at least 20 seconds or use hand sanitizer with at least 60% alcohol






Wear a Mask

- Not alone? Wear a mask
- Driving someone in the vehicle? Wear a mask
- Wear it properly and avoid touching your face/readjusting as much as possible.
- When possible, wear a hospital grade facemask



Wear your Mask Correctly

- Wash your hands before putting on your mask
- Put it over your nose and mouth and secure it under your chin
- Try to fit it snugly against the sides of your face
- Make sure you can breathe easily
- CDC does not recommend use of masks or cloth masks for source control if they have an exhalation valve or vent





Clean and Disinfect Frequently

- Perform hand hygiene (use hand sanitizer) after touching high touch surfaces (ex: door handles, seatbelts)
- Wipe off surfaces in vehicle after transportation of patients
- Focus disinfection on the high touch surfaces
- Use an EPA List N approved disinfectant for COVID-19

List N: Disinfectants for Use Against SARS-CoV-2 (COVID-19)


All products on this list meet <u>EPA's criteria</u> for use against SARS-CoV-2, the virus that causes COVID-19.

Finding a Product

To find a product, enter **the first two sets** of its **EPA registration number** into the search bar below. You can find this number by looking for the EPA Reg. No. on the product label.

For example, if EPA Reg. No. 12345-12 is on List N, you can buy EPA Reg. No. 12345-12-2567 and know you're getting an equivalent product.

Search by EPA registration number





Social Distance & Increase Ventilation

- When possible, seat passenger as far from driver as you can.
- Limit number of passengers to increase space between individuals.
- Open windows
- Set air-conditioning or heat on non-recirculation mode



https://www.cdc.gov/coronavirus/2019-ncov/daily-life-coping/using-transportation.html#ParaTransit



COVID Positive Transports

- Communicate with the healthcare facility and patient regarding isolation or quarantine dates
- Follow workplace policies regarding transfers, cleaning, infection control practices
- Socially distance and keep 6 ft separation from COIVD positive individuals
- If PPE being used, training provided